

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	1	"5636246".pn.	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 15:01	
2	BRS	L2	1	"5774751".pn.	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 14:21	
3	BRS	L3	1	"5574751".pn.	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 14:29	
4	BRS	L4	689	(backtrack\$4 or feedback or recover\$3 or loopback or loop adj2 recover\$3) near3 (first adj2 decod\$4 or previous\$3 adj2 decod\$3 or decod\$3 near2 symbol\$1)	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 14:56	
5	BRS	L5	0	(narrow\$6 near3 interference or narrow\$6 near3 noise or narrow\$6 near2 intersymbol\$1 or narrow\$6 near2 distort\$4) with (reconfigur\$6 near3 DSP or reconfigur\$6 near3 digitqal adj2 process\$4)	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 14:35	

	Error Definition	Err ors
1		
2		
3		
4		
5		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
6	BRS	L6	0	(narrow\$6 near3 interference or narrow\$6 near3 noise or narrow\$6 near2 intersymbol\$1 or narrow\$6 near2 distort\$4) same (reconfigur\$6 near3 DSP or reconfigur\$6 near3 digitqal adj2 process\$4)	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 14:35	
7	BRS	L7	15	(narrow\$6 near3 interference or narrow\$6 near3 noise or narrow\$6 near2 intersymbol\$1 or narrow\$6 near2 distort\$4) same (reconfigur\$6)	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 14:37	
8	BRS	L8	1	4 and 7	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 14:35	
9	BRS	L9	13	(narrow\$6 near3 interference or narrow\$6 near3 noise or narrow\$6 near2 intersymbol\$1 or narrow\$6 near2 distort\$4) with (compensat\$4 or reduc\$6 or, remov\$4 or delet\$3 or eliminat\$4 or adjust\$4) with (DSP or digital adj2 signal adj2 process\$4)	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 14:48	
10	BRS	L10	1	9 and decod\$4	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 14:47	

	Error Definition	Err ors
6		
7		
8		
9		
10		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
11	BRS	L11	0	4 and 10	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 14:48	
12	BRS	L12	0	(narrow\$6 near3 interference or narrow\$6 near3 noise or narrow\$6 near2 intersymbol\$1 or narrow\$6 near2 distort\$4) with (4)	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 14:56	
13	BRS	L13	1	(narrow\$6 near3 interference or narrow\$6 near3 noise or narrow\$6 near2 intersymbol\$1 or narrow\$6 near2 distort\$4) same(4)	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 14:48	
14	BRS	L14	13	(narrow\$6 near3 interference or narrow\$6 near3 noise or narrow\$6 near2 intersymbol\$1 or narrow\$6 near2 distort\$4) and(4)	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 14:48	
15	BRS	L15	1001	(backtrack\$4 or feedback or recover\$3 or loopback or loop adj2 recover\$3 or iterat\$6) near3 (first adj2 decod\$4 or previous\$3 adj2 decod\$3 or decod\$3 near2 symbol\$1)	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 14:56	
16	BRS	L16	16	(narrow\$6 near3 interference or narrow\$6 near3 noise or narrow\$6 near2 intersymbol\$1 or narrow\$6 near2 distort\$4) and 15	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 14:56	

	Error Definition	Err ors
11		
12		
13		
14		
15		
16		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
17	BRS	L17	16	16 not 9	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 14:57	
18	BRS	L18	15	16 not 13	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 14:57	
19	BRS	L19	1	4 same (detect\$4 near3 narrow\$6 or detect\$3 near3 narrow near2 band\$6)	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 15:02	
20	BRS	L20	152	(decod\$3) same (detect\$4 near3 narrow\$6 or detect\$3 near3 narrow near2 band\$6)	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 15:04	
21	BRS	L21	4	15 and 20	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 15:02	
22	BRS	L22	508	(DSP or digital adj1 signal adj2 process\$4) with (detect\$4 near3 narrow\$6 or detect\$3 near3 narrow near2 band\$6 or narrow\$6 or narrow near2 band\$6)	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 15:08	

	<b>Error Definition</b>	<b>Err ors</b>
17		
18		
19		
20		
21		
22		



	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
23	BRS	L23	2	15 and 22	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 15:05	
24	BRS	L24	247	(reconfigur\$6) with (detect\$4 near3 narrow\$6 or detect\$3 near3 narrow near2 band\$6 or narrow\$6 or narrow near2 band\$6)	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 15:09	
25	BRS	L25	1	4 and 24	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 15:09	
26	BRS	L26	1	15 and 24	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 15:10	
27	BRS	L27	333	(decod\$3) with (metric\$3 or RSSI or signal adj2 strength or energ\$3 near2 detect\$3 or signal adj2 quality) with (loopfilter or loop adj2 filter\$3 or feedback or backtrack\$4 or recover\$3 or loop\$1 or PLL\$1 or regenerat\$4)	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 15:12	

	Error Definition	Err ors
23		
24		
25		
26		
27		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
28	BRS	L28	3347	(receiv\$3) with (ADC or AD or "A/D" or analog adj1.digital or digital adj1 conver\$6) with decod\$3	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 15:13	
29	BRS	L29	12	28 and 27	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 15:22	
30	BRS	L30	11	29 and compar\$6	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 15:24	
31	BRS	L31	1	(decoder\$1 or decoding or decod\$4) same (metric\$1 near3 calculat\$4 or metric\$1 near3 performance or metric\$1 near3 detect\$4) same (compar\$4 near3 threshold\$1 or compar\$5 near3 reference or comapr\$6 near3 predefin\$3 or compar\$5 near3 predetermin\$4) same (loop or loopfilter or loopback or backtrack\$4 or recover\$3 or timing near3 track\$4 or carrier near2 track\$4 or carrier near3 recover\$4 or feedback or symbol\$1 near3 track\$4)	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 15:29	

	Error Definition	Err ors
28		
29		
30		
31		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
32	BRS	L32	187	(decoder\$1 or decoding or decod\$4) same (metric\$1 near3 calculat\$4 or metric\$1 near3 performance or metric\$1 near3 detect\$4) and (compar\$4 near3 threshold\$1 or compar\$5 near3 reference or compar\$6 near3 predefin\$3 or compar\$5 near3 predetermin\$4) and (loop or loopfilter or loopback or backtrack\$4 or recover\$3 or timing near3 track\$4 or carrier near2 track\$4 or carrier near3 recover\$4 or feedback or symbol\$1 near3 track\$4)	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 15:30	
33	BRS	L33	16	32 and 27	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 15:30	
34	BRS	L34	0	32 and 14	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 15:30	
35	BRS	L35	3	32 and 28	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 15:31	

	Error Definition	Err ors
32		
33		
34		
35		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
36	BRS	L36	16	32 and 15	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 15:31	
37	BRS	L37	7	32 and 4	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 15:31	
38	BRS	L38	30	33 or 34 or 35 or 36 or 37	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 15:43	
39	BRS	L39	3	(traceback near3 decod\$4 or backtrack\$3 near3 decod\$3 or loopback near3 decod\$3 or loopfilter near3 decod\$3 or loop adj2 filter\$3 near3 decod\$3 or feedback near3 decod\$3) near3 (ADC or "AD" or "A/D" or digital adj2 conver\$5 or digital adj2 symbol\$1 or digital adj2 stream\$1)	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 15:47	

	Error Definition	Err ors
36		
37		
38		
39		



	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
40	BRS	L40	19	(traceback near3 decod\$4 or backtrack\$3 near3 decod\$3 or loopback near3 decod\$3 or loopfilter near3 decod\$3 or loop adj2 filter\$3 near3 decod\$3 or feedback near3 decod\$3) with (ADC or "AD" or "A/D" or digital adj2 conver\$5 or digital adj2 symbol\$1 or digital adj2 stream\$1)	US- PGPUB ; USPAT ; EPO; JPO	2006/03/2 4 15:52	
41	BRS	L41	16	40 not 39	US- PGPUB ; USPAT ; EPO; JPO	2006/03/2 4 15:48	
42	BRS	L42	68	(traceback near3 decod\$4 or backtrack\$3 near3 decod\$3 or loopback near3 decod\$3 or loopfilter near3 decod\$3 or loop adj2 filter\$3 near3 decod\$3 or feedback near3 decod\$3) same (ADC or "AD" or "A/D" or digital adj2 conver\$5 or digital adj2 symbol\$1 or digital adj2 stream\$1)	US- PGPUB ; USPAT ; EPO; JPO	2006/03/2 4 16:12	
43	BRS	L43	49	42 not 40	US- PGPUB ; USPAT ; EPO; JPO	2006/03/2 4 15:53	

	Error Definition	Err ors
40		
41		
42		
43		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
44	BRS	L44	22	("5327298").URPN.	USPAT	2006/03/24 16:05	
45	BRS	L45	14	("4689759"   "4707841"   "4750055"   "4763207"   "4831464"   "4837642"   "4853797"   "4885646"   "4906928"   "4949177"   "4950999"   "5003559"   "5166955"   "5220466").PN.	US- PGPUB ; USPAT ; USOCR	2006/03/24 16:08	
46	BRS	L46	116	(traceback near3 decod\$4 or backtrack\$3 near3 decod\$3 or loopback near3 decod\$3 or loopfilter near3 decod\$3 or loop adj2 filter\$3 near3 decod\$3 or feedback near3 decod\$3 or iterat\$4 near3 decod\$4) same (ADC or "AD" or "A/D" or digital adj2 conver\$5 or digital adj2 symbol\$1 or digital adj2 stream\$1)	US- PGPUB ; USPAT ; EPO; JPO	2006/03/24 16:13	
47	BRS	L47	3	metric\$1 same 46	US- PGPUB ; USPAT ; EPO; JPO	2006/03/24 16:13	
48	BRS	L48	11	coffey-john-t.in.	US- PGPUB ; USPAT ; EPO; JPO	2006/03/24 16:15	

	Error Definition	Err ors
44		
45		
46		
47		
48		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
49	BRS	L49	10	48 and decod\$4	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 16:17	
50	BRS	L50	16	(decod\$3) with (backtracking or traceback\$4) with (FIR\$1 or IIR\$1 or equaliz\$ or FBE)	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 16:18	
51	BRS	L51	331	(decod\$3) with (backtracking or traceback\$4 or iterat\$4 or timing adj2 recover\$4 or carrier near2 track\$4 or track\$3 adj2 loop\$1 or track\$3 near2 sampl\$3 or track\$3 adj2 digital or track\$3 adj2 "ADC" or track\$3 adj2 "AD" or track\$3 adj2 "A/D" ) with (FIR\$1 or IIR\$1 or equaliz\$ or FBE)	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 16:26	
52	BRS	L52	8	51 same (threshold\$1 near3 compar\$4 or metric\$1 near3 compar\$6 or metric\$1 near3 calculat\$4 or metric\$1 near3 determin\$4 or metric\$1 near3 detect\$4 metric\$1 near3 threshold\$1)	US-PGPUB ; USPAT ; EPO; JPO	2006/03/24 16:26	

	Error Definition	Err ors
49		
50		
51		
52		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
53	BRS	L53	302	(decod\$3) with (backtracking or traceback\$4 or iterat\$4 near3 decod\$4 or timing adj2 recover\$4 or carrier near2 track\$4 or track\$3 adj2 loop\$1 or track\$3 near2 sampl\$3 or track\$3 adj2 digital or track\$3 adj2 "ADC" or track\$3 adj2 "AD" or track\$3 adj2 "A/D" ) with (FIR\$1 or IIR\$1 or equaliz\$ or FBE)	US- PGPUB ; USPAT ; EPO; JPO	2006/03/2 4 16:27	
54	BRS	L54	8	52 same (threshold\$1 near3 compar\$4 or metric\$1 near3 compar\$6 or metric\$1 near3 calculat\$4 or metric\$1 near3 determin\$4 or metric\$1 near3 detect\$4 metric\$1 near3 threshold\$1)	US- PGPUB ; USPAT ; EPO; JPO	2006/03/2 4 16:27	
55	BRS	L55	8	52 and (threshold\$1 near3 compar\$4 or metric\$1 near3 compar\$6 or metric\$1 near3 calculat\$4 or metric\$1 near3 determin\$4 or metric\$1 near3 detect\$4 metric\$1 near3 threshold\$1)	US- PGPUB ; USPAT ; EPO; JPO	2006/03/2 4 16:27	
56	BRS	L56	0	55 not 54	US- PGPUB ; USPAT ; EPO; JPO	2006/03/2 4 16:27	

	Error Definition	Err ors
53		
54		
55		
56		



	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
57	BRS	L57	730	(decod\$3) same (backtracking or traceback\$4 or iterat\$4 near3 decod\$4 or timing adj2 recover\$4 or carrier near2 track\$4 or track\$3 adj2 loop\$1 or track\$3 near2 sampl\$3 or track\$3 adj2 digital or track\$3 adj2 "ADC" or track\$3 adj2 "AD" or track\$3 adj2 "A/D" ) same (FIR\$1 or IIR\$1 or equaliz\$ or FBE)	US- PGPUB ; USPAT ; EPO; JPO	2006/03/2 4 16:27	
58	BRS	L58	9	57 same (threshold\$1 near3 compar\$4 or metric\$1 near3 compar\$6 or metric\$1 near3 calculat\$4 or metric\$1 near3 determin\$4 or metric\$1 near3 detect\$4 metric\$1 near3 threshold\$1)	US- PGPUB ; USPAT ; EPO; JPO	2006/03/2 4 16:27	
59	BRS	L59	5	58 not 55	US- PGPUB ; USPAT ; EPO; JPO	2006/03/2 4 16:27	

	Error Definition	Err ors
57		
58		
59		

Day : Friday  
Date: 3/24/2006

Time: 16:31:47

# PALM INTRANET

## Inventor Name Search Result

Your Search was:

Last Name = COFFEY

First Name = JOHN

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<a href="#">07857320</a>	<a href="#">5289637</a>	150	03/25/1992	UTILITY KNIFE	COFFEY, JOHN
<a href="#">09457653</a>	<a href="#">7007075</a>	150	12/09/1999	FLEXIBLE COMPUTER RESOURCE MANAGER	COFFEY, JOHN
<a href="#">10395358</a>	Not Issued	161	03/24/2003	Method and apparatus for exporting and importing data in a relational database system	COFFEY, JOHN
<a href="#">10631705</a>	Not Issued	30	07/30/2003	Decentralized project management system	COFFEY, JOHN
<a href="#">29033089</a>	Not Issued	164	01/05/1995	NOVELTY LIGHT	COFFEY, JOHN
<a href="#">60111550</a>	Not Issued	159	12/09/1998	BUSINESS PARTNER WEB ARCHITECTURE	COFFEY, JOHN
<a href="#">60243225</a>	Not Issued	159	10/25/2000	Lidar instrument system and process	COFFEY, JOHN
<a href="#">60368326</a>	Not Issued	159	03/28/2002	Method and apparatus for exporting and importing data in relational database system	COFFEY, JOHN
<a href="#">07641506</a>	<a href="#">5132561</a>	150	01/15/1991	SWITCHING OF LOGIC DATA SIGNALS	COFFEY, JOHN A.
<a href="#">10122525</a>	<a href="#">6543479</a>	150	04/15/2002	WATER MONITORING SYSTEM	COFFEY, JOHN B.
<a href="#">60283569</a>	Not Issued	159	04/13/2001	Water monitoring system	COFFEY, JOHN B.
<a href="#">06774249</a>	Not Issued	161	09/09/1985	TUBE PERFORATING APPARATUS	COFFEY, JOHN C.
<a href="#">10495435</a>	Not Issued	71	07/12/2004	Method for controlling legionella in cooling towers	COFFEY, JOHN INNES
<a href="#">08355036</a>	<a href="#">5486853</a>	150	12/13/1994	ELECTRICAL CABLE INTERFACE FOR ELECTRONIC CAMERA	COFFEY, JOHN J.
<a href="#">60355788</a>	Not	159	02/12/2002	LIDAR instrument system and	COFFEY, JOHN M.

	Issued			process	
<u>60483919</u>	Not Issued	159	07/02/2003	Lidar instrument system and process	COFFEY, JOHN M.
<u>08514214</u>	<u>5757386</u>	150	08/11/1995	METHOD AND APPARATUS FOR VIRTUALIZING OFF-SCREEN MEMORY OF A GRAPHICS ENGINE	COFFEY, JOHN P.
<u>08963917</u>	<u>5853273</u>	150	11/04/1997	FIXED-BASE ROUTER WITH V-BLOCK MOUNTING	COFFEY, JOHN R.
<u>08963918</u>	<u>5853274</u>	150	11/04/1997	VERTICAL ADJUSTMENT MECHANISM FOR FIXED-BASE ROUTER	COFFEY, JOHN R.
<u>09092667</u>	<u>5913645</u>	150	06/05/1998	V-BLOCK MOUNTING FOR FIXED-BASE ROUTER WITH DEFLECTION LIMITATION RIB	COFFEY, JOHN R.
<u>09103409</u>	<u>5909987</u>	150	06/24/1998	ADJUSTABLE SUB-BASE FOR FIXED-BASE ROUTER	COFFEY, JOHN R.
<u>10026042</u>	Not Issued	71	12/21/2001	Sequential decoding with backtracking and adaptive equalization to combat narrowband interference	COFFEY, JOHN T.
<u>10212343</u>	Not Issued	30	08/05/2002	Pseudo-bit-loading for enhanced performance with standards-compliant air interface for multi-tone wireless lans	COFFEY, JOHN T.
<u>10424474</u>	Not Issued	30	04/28/2003	Re-use of channel estimation information in a wireless local area network	COFFEY, JOHN T.
<u>10436617</u>	Not Issued	93	05/13/2003	METHODS AND APPARATUS FOR SELF-INVERTING TURBO CODE INTERLEAVING WITH HIGH SEPARATION AND DISPERSION	COFFEY, JOHN T.
<u>10447400</u>	<u>6724327</u>	150	05/29/2003	LOWER LATENCY CODING/DECODING	COFFEY, JOHN T.
<u>10696045</u>	Not Issued	30	10/29/2003	Increasing effective number of data tones in a multi-tone communication system	COFFEY, JOHN T.
<u>10718954</u>	Not Issued	41	11/21/2003	Wireless network with multi-device class communication capability	COFFEY, JOHN T.
<u>10969118</u>	Not Issued	30	10/20/2004	Increasing effective number of data tones in a multi-antenna multi-tone communication system	COFFEY, JOHN T.

<u>11047192</u>	Not Issued	30	01/31/2005	Method for enabling efficient multicast transmission in a packet-based network	COFFEY, JOHN T.
<u>11068256</u>	Not Issued	30	02/28/2005	Accelerating convergence in an iterative decoder	COFFEY, JOHN T.
<u>60290690</u>	Not Issued	159	05/14/2001	Sequential/backtrack decoding with adaptive equalization to combat narrowband interference	COFFEY, JOHN T.
<u>60456298</u>	Not Issued	159	03/20/2003	Method to regulate channel access between enhanced and legacy devices in wireless networks, particularly IEEE 802.11 networks	COFFEY, JOHN T.
<u>60467431</u>	Not Issued	159	05/02/2003	Method for increasing effective number of data tones in a multi-tone communication system	COFFEY, JOHN T.
<u>60532155</u>	Not Issued	159	12/22/2003	Use of variable number of pilot tones in multi-tone and multiple transmit antenna wireless local area networks	COFFEY, JOHN T.
<u>60576018</u>	Not Issued	159	06/01/2004	Method for enabling efficient multicast transmission in a packet-based network	COFFEY, JOHN T.
<u>60640887</u>	Not Issued	159	12/30/2004	MIMO decoding	COFFEY, JOHN T.
<u>06635100</u>	Not Issued	164	07/27/1984	PHENYL SUBSTITUTED-2,4,6,8-NONATETRAENOIC ACID	COFFEY, JOHN W.
<u>06746812</u>	<u>4648996</u>	150	06/20/1985	PHENYL SUBSTITUTED-2,4,6,8-NONATETRAENOIC ACID	COFFEY, JOHN W.
<u>06873737</u>	Not Issued	161	06/12/1986	PHENYL SUBSTITUTED-2,4,6,8-NONATETRAENOIC ACID	COFFEY, JOHN W.
<u>06922430</u>	<u>4780251</u>	150	10/23/1986	PHENYL SUBSTITUTED-2,4,6,8-NONATETRAENOIC ACID	COFFEY, JOHN W.
<u>06922621</u>	<u>4883614</u>	150	10/24/1986	PHENYL SUBSTITUTED-2,4,6,8-NONATETRAENOIC ACID	COFFEY, JOHN W.
<u>07079974</u>	<u>4883613</u>	150	07/31/1987	PHENYL SUBSTITUTED-2,4,6,8-NONATETRAENOIC ACID	COFFEY, JOHN W.
<u>07285258</u>	<u>4894480</u>	150	12/16/1988	PHENYL SUBSTITUTED-2,4,6,8-NONATETRAENOIC	COFFEY, JOHN W.

				ACID	
<u>07285683</u>	Not Issued	161	12/16/1988	PHENYL SUBSTITUTED- 2,4,6,8-NONATETRAENOIC ACID	COFFEY, JOHN W.
<u>07285688</u>	Not Issued	161	12/16/1988	PHENYL SUBSTITUTED- 2,4,6,8-NONATETRAENOIC ACID	COFFEY, JOHN W.
<u>07690476</u>	Not Issued	161	04/24/1991	THIOPHENE-SUBSTITUTED 2,4,6,8-NONATETRAENOIC ACIDS	COFFEY, JOHN W.
<u>08042242</u>	<u>5506937</u>	150	04/02/1993	A CONCEPT MAPBASED MULTIMEDIA COMPUTER SYSTEM FOR FACILITATING USER UNDERSTANDING OF A DOMAIN OF KNOWLEDGE	COFFEY, JOHN W.
<u>11018203</u>	Not Issued	30	12/20/2004	Wick for an inkjet printhead	COFFEY, JOHNNIE
<u>10235515</u>	<u>6715857</u>	150	09/05/2002	PRINthead CARRIER HOUSING AND FLEXIBLE PRINTED CIRCUIT ATTACHED TO SAME	COFFEY, JOHNNIE A.

[Search and Display More Records.](#)

<b>Search Another: Inventor</b>	<b>Last Name</b>	<b>First Name</b>	<input type="button" value="Search"/>
	<input type="text" value="COFFEY"/>	<input type="text" value="JOHN"/>	

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)